

JumpsPower

empowered by ArnosMater

TM



Professional Grade

GTR 24V

Up to

60X

Jump Starts Per Charge**

GTS 12V

GT 12V



Jump Starter + Power Bank

LED Flashlight



Car



Pickup



Truck



Motorcycle



Boat



Notebook



Tablet



Smartphone



Game Console



Earbuds

Suitable for



Turbo



Hybrid



Start-Stop System

Ingenious Spark-proof Clamps

Protection Functions On

- AI Smart Reset Mechanism
- Improper Insertion Prevention
- Low Power Consumption
- Over Charge
- Over Cranking
- Over Current
- Over Discharge
- Over Voltage
- Overheat
- Peak Current Surge
- Reverse Charge
- Reverse Polarity
- Short Circuit
- Spark Proof



USB-C
Input & Output

PD QC
Fast Charge

DC
Output

12V JUMP STARTER

Suitable for



Turbo



Hybrid



Start-Stop System

7.0L

7000cc
Petrol

5.5L

5500cc
Diesel

96W

DC12V

Up to **20X**
Jump Starts Per Charge**

GT



Ingenious
Spark-proof Clamps

USB-C
Input

USB-A
17.5W
5V / 3.5A

BONUS

Jump Starter + Power Bank

12V | 1500A

LED Flashlight

29600mWh

In the box: GT | Jumper Cable | USB-A to USB-C Cable | 12V Cigarette Lighter Adapter | User Manual | Carry Bag

12V JUMP STARTER

Suitable for



Turbo



Hybrid



Start-Stop System

8.0L

8000cc
Petrol

7.0L

7000cc
Diesel

96W

DC12V



Ingenious
Spark-proof Clamps

PD 45W

4X Faster



compatible with Macbook, iPhone

Jump Starter + Power Bank

12V | 2000A

LED Flashlight

37000mWh

USB-C QC 18W
Input & Output

USB-A

BONUS



10W

Wireless Charger

In the box: GTS | Jumper Cable | USB-A to USB-C Cable | 12V Cigarette Lighter Adapter | User Manual | Carry Bag

24V JUMP STARTER

Professional Grade

GTR

Up to

60X

Jump Starts Per Charge**

4000A¹
Peak AMPS

Ingenious
Spark-proof Clamps

PD 36W
3X Faster

QC 18W
USB-A

USB-C
Input

130W
DC Output



Jump Starter + Power Bank

4000A

LED Flashlight

99900mWh

Suitable for



Turbo



Hybrid



Start-Stop System

24V

12V



All 24V & 12V Vehicle**



JumpsPower™

empowered by ArnosMater



	12V Jump Starter		24V & 12V Jump Starter
Model:	GT	GTS	GTR
Image:			
Battery Capacity:	29600mWh 29.6Wh 8000mAh	37000mWh 37Wh 10000mAh	99900mWh 99.9Wh 27000mAh
Battery Types:	Lithium-ion		
Battery Life Cycle:	1000+		
Battery Standby Time:	Up to 9-12 months		
Operating Temperature:	-20°C to 60°C		
Peak Amps*:	12V / 1500A	12V / 2000A	24V & 12V / 4000A
Clamp Power:	12V / 750A	12V / 1000A	24V & 12V / 2000A
For Engines Up To**:	7000cc Gasoline 5500cc Diesel	8000cc Gasoline 7000cc Diesel	Suitable for all 24V & 12V Vehicle
No. of Jump Start Per Charge**:	Up to 20X	Up to 30X	Up to 60X
Wireless Charger:	N/A	10W Max. (5V / 2A)	N/A
USB-C:	Input: 10W Max. (5V / 2A)	Input: PD 30W Max. (5V / 3A, 9V / 3A, 12V / 2.5A, 15V / 2A, 20V / 1.5A) Output: PD 45W Max. (5V / 3A, 9V / 3A, 12V / 2.5A, 15V / 2A, 20V / 2.25A)	Output: PD 36W Max.
USB-A output:	17.5W Max. (5V / 3.5A)	QC18W Max. (5V / 3A, 9V / 2A)	Output 1: QC 18W Max. Output 2: 10W Max. (5V / 2A)
DC output:	96W Max. (12V - 16.8V / 8A)		130W Max. (12V-16.8V / 8A)
Input:	USB-C		15V / 2A (AC)
Dimensions:	168.5 x 84 x 32 mm		250 x 165 x 75 mm
Weight:	370g	460g	1.8kg

*Theoretical Short Circuit Current.

** Performance can vary depending on jump starter's battery level, operating temperature and battery terminals surface condition.



Scan QR to watch video Instructions



This product meets the requirements of IATA and can be carried on flight



ArnosMater™
www.arnosmater.com



Designed in Australia